

# SEQUENCE LISTING

<110> Ribozyme Pharmaceuticals, Inc  
 Usman, Nassim  
 McSwiggen, Jim  
 Zinnen, Shawn  
 Seiwert, Scott  
 Haeberli, Peter  
 Chowrira, Bharat  
 Blatt, Lawrence

<120> Nucleic Acid Sensor Molecules

<130> MBHB00-816-D (700/004)

<160> 58

<170> PatentIn version 3.0

<210> 1

<211> 15

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic reporter sequence

<400> 1

aagcacuaau ggaga 15

<210> 2

<211> 15

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic reporter sequence

<400> 2

aagcacuaac aguaa 15

<210> 3

<211> 37

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic sensor sequence

<400> 3

ucuccaucug augaggccgu uaggccgaaa gugcuug 37

<210> 4

<211> 43

<212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor sequence  
  
 <400> 4  
 ucuccaucug augaggccgu uaggccgaaa gugcuugcga gug 43

<210> 5  
 <211> 43  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor sequence  
  
 <400> 5  
 uuacugucug augaggccgu uaggccgaaa gugcuugcga gug 43

<210> 6  
 <211> 25  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor component  
 sequence  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(25)  
 <223> 2'-O-Methyl  
  
 <400> 6  
 caagcacuuu cucaucagau ggaga 25

<210> 7  
 <211> 31  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor component  
 sequence  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(31)  
 <223> 2'-O-Methyl  
  
 <400> 7  
 cacucgcaag cacuuucuca ucagauggag a 31

<210> 8  
 <211> 26  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor component sequence  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(26)  
 <223> 2'-O-Methyl  
  
 <400> 8  
 cacucgcaag caccuaucag gcagua 26  
  
 <210> 9  
 <211> 28  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic sensor component sequence  
  
 <220>  
 <221> misc\_feature  
 <222> (1)..(28)  
 <223> 2'-O-Methyl  
  
 <400> 9  
 cacucgcaag caccuauca gguggaga 28  
  
 <210> 10  
 <211> 27  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic target signaling sequence  
  
 <400> 10  
 uacugccuga uagggugcuu gcgagug 27  
  
 <210> 11  
 <211> 15  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Generic target sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(6)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(15)  
 <223> n stands for any nucleotide

<400> 11  
 nnnnnnnuhnn nnnnn

15

<210> 12  
 <211> 36  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>  
 <221> misc\_feature  
 <222> (1)..(7)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (16)..(18)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (23)..(25)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (31)..(36)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (1)..(8)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (12)..(12)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (14)..(26)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (28)..(29)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (31)..(36)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (9)..(9)  
 <223> 2'-deoxy-2'-C-Allyl

<400> 12  
 nnnnnnncug augagnnnga aannncgaaa nnnnnn

36

<210> 13  
 <211> 14  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Generic target sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (8)..(14)  
 <223> n stands for any nucleotide

<400> 13  
 nnnnnchnnn nnnn

14

<210> 14  
 <211> 35  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid

<220>  
 <221> misc\_feature  
 <222> (1)..(7)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature

```

<222> (16)..(18)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (23)..(25)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (31)..(35)
<223> n stands for any nucleotide

<220>
<221> misc_feature
<222> (1)..(8)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (12)..(12)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (14)..(26)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (28)..(29)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (31)..(35)
<223> 2'-O-Methyl

<220>
<221> misc_feature
<222> (30)..(30)
<223> n stands for Inosine

<220>
<221> misc_feature
<222> (9)..(9)
<223> 2'-deoxy-2'-C-Allyl

<400> 14
nnnnnnncug augagnnnga aannncgaan nnnnn

<210> 15
<211> 15
<212> RNA
<213> Artificial Sequence

```

<220>  
<223> Description of Artificial Sequence: Generic target sequence

<220>  
<221> misc\_feature  
<222> (1)..(6)  
<223> n stands for any nucleotide

<220>  
<221> misc\_feature  
<222> (9)..(15)  
<223> n stands for any nucleotide

<400> 15  
nnnnnnnygnn nnnnn

15

<210> 16  
<211> 35  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>  
<221> misc\_feature  
<222> (1)..(7)  
<223> n stands for any nucleotide

<220>  
<221> misc\_feature  
<222> (29)..(35)  
<223> n stands for any nucleotide

<220>  
<221> misc\_feature  
<222> (1)..(8)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (13)..(16)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (18)..(35)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (11)..(11)  
<223> Phosphorothioate 3'-Internucleotide Linkage

<400> 16  
nnnnnnnuga uggcaugcac uaugcgcggn nnnnn

35

<210> 17  
 <211> 48  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>  
 <221> misc\_feature  
 <222> (1)..(8)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (12)..(21)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (32)..(37)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (44)..(48)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (9)..(10)  
 <223> 2'-deoxy-2'-amino

<220>  
 <221> misc\_feature  
 <222> (22)..(26)  
 <223> 2'-deoxy-2'-amino

<220>  
 <221> misc\_feature  
 <222> (38)..(40)  
 <223> 2'-deoxy-2'-amino

<400> 17  
 gugugcaacc ggaggaaacu ccuucagg acgaaagucc gggacggg

48

<210> 18  
 <211> 16  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Target sequence for SEQ ID NO 17



<400> 18  
gccguggguu gcacac

16

<210> 19  
<211> 36  
<212> RNA  
<213> Artificial Sequence

<220>  
<223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<220>  
<221> misc\_feature  
<222> (1)..(7)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (36)..(36)  
<223> 3'-3' inverted abasic moiety

<220>  
<221> misc\_feature  
<222> (9)..(15)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (19)..(19)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (21)..(21)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (23)..(23)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (26)..(26)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (28)..(35)  
<223> 2'-O-Methyl

<220>  
<221> misc\_feature  
<222> (1)..(4)  
<223> Phosphorothioate 3'-Internucleotide Linkage

<220>  
 <221> misc\_feature  
 <222> (17)..(17)  
 <223> 2'-Deoxy-2'-Amino

<220>  
 <221> misc\_feature  
 <222> (27)..(27)  
 <223> 2'-Deoxy-2'-Amino

<400> 19  
 gugccuggcc gaaaggcgag ugaggucugc cgcgcn

36

<210> 20  
 <211> 15  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Target sequence for SEQ ID NO 19

<400> 20  
 gcgcggcgca ggcac

15

<210> 21  
 <211> 16  
 <212> DNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Enzymatic Nucleic Acid Motif

<400> 21  
 rggctagcta caacga

16

<210> 22  
 <211> 12  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Generic Reporter Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (8)..(12)  
 <223> n stands for any nucleotide

<400> 22

nnnnnygnnn nn

12

<210> 23

<211> 35

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Sensor Molecule Motif

<220>

<221> misc\_feature

<222> (1)..(6)

<223> n stands for any nucleotide

<220>

<221> misc\_feature

<222> (8)..(17)

<223> n stands for any nucleotide

<220>

<221> misc\_feature

<222> (31)..(35)

<223> n stands for any nucleotide

<400> 23

nnnnnngnnn nnnnnnncga gugaggucur nnnnn

35

<210> 24

<211> 23

<212> RNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Sensor Molecule Motif

<220>

<221> misc\_feature

<222> (1)..(5)

<223> n stands for any nucleotide

<220>

<221> misc\_feature

<222> (19)..(23)

<223> n stands for any nucleotide

<400> 24

nnnnnncgagu gaggucurnn nnn

23

<210> 25

<211> 11

<212> RNA

<213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Synthetic Target Signaling Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(4)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (7)..(11)  
 <223> n stands for any nucleotide

<400> 25  
 nnnnrgnnnn n 11

<210> 26  
 <211> 21  
 <212> RNA  
 <213> Hepatitis C virus

<400> 26  
 gguccuuucu uggauaaacc c 21

<210> 27  
 <211> 42  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Synthetic Sensor/Reporter Molecule

<220>  
 <221> misc\_feature  
 <222> (22)..(35)  
 <223> n stands for any nucleotide

<400> 27  
 ggguuuauca agugaggucu rnnnnnnnnnn nnnnnnygcaa ga 42

<210> 28  
 <211> 54  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(6)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (50)..(54)  
 <223> n stands for any nucleotide  
  
 <400> 28  
 nnnnnngagc cgaguagcgu ugggucgcga aaggcucgag ugaggucurn nnnn 54

<210> 29  
 <211> 72  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(6)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (8)..(16)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (46)..(54)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (68)..(72)  
 <223> n stands for any nucleotide

<400> 29  
 nnnnnngnnn nnnnnnagcc gaguagcguu gggucgcgaa aggcunnnnn nnnncgagug 60  
 aggucurnnn nn 72

<210> 30  
 <211> 39  
 <212> RNA  
 <213> Artificial Sequence  
  
 <220>  
 <223> Description of Artificial Sequence: Synthetic Sensor Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(6)  
 <223> n stands for any nucleotide

<220>

<221> misc\_feature  
 <222> (8)..(17)  
 <223> n stands for any nucleotide  
  
 <220>  
 <221> misc\_feature  
 <222> (31)..(39)  
 <223> n stands for any nucleotide  
  
 <400> 30  
 nnnnnngnnn nnnnnnnncca gugaggucur nnnnnnnnn

39

<210> 31  
 <211> 10  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Generic Target Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(6)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (8)..(10)  
 <223> n stands for any nucleotide

<400> 31  
 nnnnnngnnn

10

<210> 32  
 <211> 39  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Synthetic Reporter/Sensor Molecule

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (19)..(32)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (35)..(39)  
 <223> n stands for any nucleotide

39

34

27

47

15

<211> 12  
<212> RNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Reporter Molecule

<400> 36  
gccgucguug ga 12

<210> 37  
<211> 21  
<212> RNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Target Sequence

<400> 37  
gguccuuucu uggauaaacc c 21

<210> 38  
<211> 12  
<212> RNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Reporter Molecule

<400> 38  
gccgucguua uu 12

<210> 39  
<211> 21  
<212> DNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Synthetic Sensor Molecule

<400> 39  
gggcttatcc aagaaaggac c 21

<210> 40  
<211> 37  
<212> RNA  
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Erk Modulated Sensor Molecule

<400> 40  
gcgugaccug augaggccga aaggccgaaa cguuccc 37



<210> 41  
 <211> 41  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Erk Modulated Sensor Component

<400> 41  
 ggauaaggag gauuuccgaa agcggcuacg guccgccauc c 41

<210> 42  
 <211> 74  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Erk Modulated Sensor Molecule

<400> 42  
 gcgugaccug augagucacg cuaaggagga uuuccgaaag cggcuacggu ccgccagugu 60  
 uacgaaacgu uccc 74

<210> 43  
 <211> 38  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Half-Zinzyme

<220>  
 <221> misc\_feature  
 <222> (1)..(4)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (6)..(11)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (14)..(14)  
 <223> 2'-O-Methyl

<220>  
 <221> misc\_feature  
 <222> (16)..(27)  
 <223> 2'-O-Methyl

<220>



<400> 48  
 gccagcccc gauugggggc gacacuccac cauagaucac uccccuguga ggaacuacug 60  
 ucuucacgca gaaagcgucu agccauggcg uuaguaugag ugucgugcag ccuccaggac 120  
 cccccucucc gggagagcca uaguggucug cggaaccggu gaguacaccg gaauugccag 180  
 gacgaccggg uccuuucuug gaucaaccgg cucaauggcu ggagauuugg gcgugccccc 240  
 gcgagacugc uagccgagua guguuggguc gcgaaaggcc uugugguacu gccugauagg 300  
 gugcuugcga gugccccggg aggucucgua gaccgugcac caugagcacg aauccuaaac 360  
 cucaaa 366

<210> 49  
 <211> 12  
 <212> RNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence: Generic Target Sequence

<220>  
 <221> misc\_feature  
 <222> (1)..(5)  
 <223> n stands for any nucleotide

<220>  
 <221> misc\_feature  
 <222> (9)..(12)  
 <223> n stands for any nucleotide

<400> 49  
 nnnnnygynn nn 12

<210> 50  
 <211> 37  
 <212> RNA  
 <213> Artificial Sequence

<220>  
 <223> Description of Artificial Sequence: Halfzyme

<220>  
 <221> misc\_feature  
 <222> (1)..(4)  
 <223> 2'-O-methyl

<220>  
 <221> misc\_feature  
 <222> (5)..(5)  
 <223> 2'-deoxy-2'-amino



<210> 53  
 <211> 12  
 <212> DNA  
 <213> HEPATITIS B VIRUS

<400> 53  
 cccgtcgtcg ct 12

<210> 54  
 <211> 12  
 <212> DNA  
 <213> HEPATITIS B VIRUS

<400> 54  
 cccgtcgccg ct 12

<210> 55  
 <211> 12  
 <212> DNA  
 <213> HEPATITIS B VIRUS

<400> 55  
 cccgtcagcg ct 12

<210> 56  
 <211> 12  
 <212> DNA  
 <213> HEPATITIS B VIRUS

<400> 56  
 cccgtctgcg ct 12

<210> 57  
 <211> 12  
 <212> DNA  
 <213> HEPATITIS B VIRUS

<400> 57  
 cccgtccgcg ct 12

<210> 58  
 <211> 12  
 <212> RNA  
 <213> HEPATITIS B VIRUS

<400> 58  
 cccgucggcg cu 12